

LICENSE



The database IPSI is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International \(CC BY-NC-SA 4.0\)](https://creativecommons.org/licenses/by-nc-sa/4.0/) license.

CITATION

Data downloaded from IPSI 1.0 must be cited as:

- Mariucci M.T., Montone P., 2017. IPSI 1.0, Database of Italian Present-day Stress Indicators, Istituto Nazionale di Geofisica e Vulcanologia (INGV). doi:<http://doi.org/10.6092/INGV.IT-IPSI>

and

- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, 205, 1525–1531, doi:<http://doi.org/10.1093/gji/ggw100>

The use of specific subset of data should include also the related references cited in the data tables and provided in the **References** below.

DISCLAIMER

The database IPSI provides data on the contemporary stress in Italy and it is based on the available scientific knowledge; however, due to the complex natural phenomena covered, Istituto Nazionale di Geofisica e Vulcanologia (INGV) cannot be made responsible for any incomplete or unreliable data provided or for future events that may be inferred by users on the basis of the data provided.

INGV and the IPSI authors are not responsible for the use that might be made of the data provided, nor they are responsible for any damage to third-parties caused by conclusions based on the data provided.

CREDITS

ENI S.p.A., ENEL S.p.A., Enterprise Oil Italiana S.p.A., are thanked for supplying well log data.

Part of data analysis has been carried out within the projects: EC project GeoModAp (contract EV5V-CT94-0464); FIRB project ‘Research and Development of New Technologies for Protection and Defense of Territory from Natural Risks’, funded by Italian Ministry of University and Research.

Part of data analysis has benefited from funding provided by the Italian Presidenza del Consiglio dei Ministri - Dipartimento della Protezione Civile (DPC). Scientific papers funded by DPC do not represent its official opinion and policies.

Italian data contribute to [World Stress Map](#)

A special thank to all people, colleagues, researchers and students that in different way helped in developing the study of contemporary stress in Italy. In particular (in alphabetic order): A. Amato, L. Amicucci, M. Cesaro, O. Heidbach, B. Müller, S. Pierdominici, S. Pondrelli, M.D. Zoback and M.L. Zoback.

IPSI logo: Daniela Riposati INGV-Laboratorio Grafica e Immagini.

CONTACT

ipsi.database@ingv.it

LEGEND OF DATA TABLES

All stress indicators:

Id	identification code
N	number
Type	type of stress indicator (following the World Stress Map project classification; BO, borehole breakout; FMS, single focal mechanism; FMF, formal inversion of focal mechanisms; GF, faults; OC, overcoring data)
Lat	latitude N
Lon	longitude E
Sh	minimum horizontal stress orientation
SH	maximum horizontal stress orientation
Q	data quality (according to the World Stress Map Project rules)
TR	tectonic regime
Reference1_original	the main reference; the first paper with the data
Reference2_last	reference of the last update of the whole dataset; the last reference for the data
Web_date	first time on line
Update	last update

Borehole Breakout data (BO) only:

sd	standard deviation of horizontal stress orientations
BO_top	the most shallow breakout depth
BO_bottom	the deepest breakout depth
available	availability of well data at the ministry in charge (none= YES)
UNMIG_well_code	well code in the ministry database
Year	year of drilling (for available wells only)
Depth	total well depth (for available wells only)
Well_name	well name in the ministry database (for available wells only)

Single Earthquake Focal Mechanism data (FMS) only:

Download_date_from_catalog	download of data from focal mechanism catalog
Date_eq	earthquake date
Mw	earthquake magnitude
Depth_(km)	earthquake depth
strike1, dip1, rake1	strike, dip and rake of the nodal plane 1
strike2, dip2, rake2	strike, dip and rake of the nodal plane 2

Formal Inversion data (FMF) only:

Name	code identifying the inversion
Region	Italian region or zone where data are located
Events_num	number of events used for the inversion
Year	Year of earthquake occurrence
M	range of magnitudes of the events used for the inversion
Depth_(km)	range of depth of the events used for the inversion
Misfit	value indicating the reliability of the inversion
s1_(az/dip)	azimuth/dip of the main stress axe
s2_(az/dip)	azimuth/dip of the intermediate stress axe
s3_(az/dip)	azimuth/dip of the minor stress axe

Fault Slip data (GF) only:

Region	Italian region where the fault i located
Fault_Name	fault name assigned from the Authors of Reference1

Overcoring data (OC) only:

Locality	zone where data are located
-----------------	-----------------------------

REFERENCES

References of Borehole Breakout data (BO)

- Amato A. And Montone P., 1997. Present-day stress field and active tectonics in southern peninsular Italy. *Geophysical Journal International*, **130**, 519-534.
- Amato A., Montone P. And Cesaro M., 1995. State of stress in Southern Italy from borehole breakout and focal mechanism data. *Geophysical Research Letters*, **22**, 3119-3122.
- Barba S., Carafa M.M.C., Mariucci M.T., Montone P., Pierdominici S., 2010. Present-day stress-field modelling of southern Italy constrained by stress and GPS data, *Tectonophysics*, **482**(1-4), 193–204, doi:10.1016/j.tecto.2009.10.017. (on-line Oct2009)
- Cesaro, M., 1993. Plateau Ibleo: Campo di stress da studi di breakout, analisi e modello interpretativo, *Internal Report*, Agenzia Ital. Pet. (AGIP), San Donato Milanese, Italy.
- Cox, J.W., 1983, Long axis orientation in elongated boreholes and it's correlation with rock stress data, *24th Annual Logging Symposium Transactions*: Society of Professional Well Log Analysts, 17 p.
- Cucci, L., S. Pondrelli, A. Frepoli, M. T. Mariucci, and M. Moro (2004), Local patterns of stress field and seismogenic sources in the Pergola-Melandro Basin and the Agri Valley (southern Italy), *Geophys. J. Int.*, **156**, 575–583, doi:10.1111/j.1365-246X.2004. 02161.x.
- Mariucci, M.T., Amato, A. & Montone, P., 1999. Recent tectonic evolution and present stress in the northern Apennines, *Tectonics*, **18**, 108– 118.
- Mariucci, M. T., A. Amato, R. Gambini, M. Giorgioni, and P. Montone (2002), Along-depth stress rotations and active faults: An example in a 5-km deep well of southern Italy, *Tectonics*, **21**(4), 1021, doi:10.1029/2001TC001338
- Mariucci, M.T., Montone, P. & Pierdominici, S., 2008. Active stress field in central Italy: a revision of deep well data in the Umbria region, *Ann. Geophys.*, **51**(2–3), 433–442.
- Mariucci M.T., Montone P., Pierdominici S., 2010. Present-day stress in the surroundings of 2009 L'Aquila seismic sequence (Italy), *Geophysical Journal International*, **182**(2), 1096–1102, doi:10.1111/j.1365-246X.2010.04679.x.
- Montone, P. & Mariucci, M.T., 1999. Active stress in the NE external margin of the Apennines: the Ferrara arc, northern Italy, *J. Geodyn.*, **28**(2–3), 251–265.
- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, **205**, 1525–1531, doi: 10.1093/gji/ggw100.
- Montone, P., A. Amato, R. Chiulli, and R. Funicello (1992), Metodologie per la determinazione del campo di stress attuale da dati di perforazioni profonde, paper presented at the 11th Meeting of *Gruppo Nazionale di Geofisica della Terra Solida*, Cons. Naz. delle Ric., Rome, Italy.

- Montone, P., A. Amato, C. Chiarabba, G. Buonasorte, and A. Fiordelisi (1995), Evidence of active extension in Quaternary volcanoes of central Italy from breakout analysis and seismicity, *Geophys. Res. Lett.*, **22**, 1909–1912.
- Montone, P., A. Amato, A. Frepoli, M. T. Mariucci, and M. Cesaro (1997), Crustal stress regime in Italy, *Ann. Geofis.*, **40**, 741–757.
- Montone, P., A. Amato, and S. Pondrelli (1999), Active stress map of Italy, *J. Geophys. Res.*, **104**, 25,595–25,610.
- Montone P., Mariucci M.T., Pondrelli S. and Amato A., 2004. An improved stress map for Italy and surrounding regions (central Mediterranean), *J. Geophys. Res.*, **109**, B10410, doi:10.1029/2003JB002703.
- Montone, P., Mariucci, M.T. & Pierdominici, S., 2012. The Italian present-day stress map, *Geophys. J. Int.*, **189**, 705–716, doi:10.1111/j.1365-246X.2012.05391.x.
- Pierdominici S., Mariucci M.T., Montone P. And Cesaro M., 2005. Comparison between active stress and tectonic structures in northern Italy, Lombardia region, *Annals of Geophysics*, **48**, 6, 867–881.
- Pierdominici, S., Mariucci, M.T. & Montone, P., 2011. A study to constrain the geometry of an active fault in southern Italy through borehole breakouts and downhole logs, *J. Geodyn.*, **52**(3–4), 279–289, doi:10.1016/j.jog.2011.02.006.
- Ragg, S. (1995). Das Spannungsfeld im zentralen Mittelmeerraum: Breakout-Analyse und Modellierung, *Diploma Thesis*, Geophysical Institute, University of Karlsruhe.
- Ragg, S., Grasso, M. & Müller, B., 1999. Patterns of tectonic stress in Sicily from borehole breakout observations and finite element modelling, *Tectonics*, **18**, 669–685.

References of Earthquake Focal Mechanism data (FMS)

- Anderson, H. & Jackson, J., 1987. Active tectonics of the Adriatic region, *Geophys. J. R. Astron. Soc.*, **91**, 937–987.
- Boschi, E., Guidoboni, E., Ferrari, G., Valensise, G. & Gasperini, P., 1997. Catalog of Strong Italian Earthquakes From 461 B.C. to 1990, 973 pp., *Storia Geofis. Ambiente*, INGV, Rome, Italy.
- European-Mediterranean RCMT Catalog, <http://www.bo.ingv.it/RCMT>
- Gasparini, C., Iannaccone, G. & Scarpa, R., 1985. Fault-plane solutions and seismicity of the Italian peninsula, *Tectonophysics*, **117**, 59–78.
- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, **205**, 1525–1531, doi: 10.1093/gji/ggw100.

Pondrelli, S., Salimbeni, S., Ekström, G., Morelli, A., Gasperini, P. & Vannucci, G., 2006. The Italian CMT dataset from 1977 to the present, *Phys. Earth Planet. Int.*, **159**(3-4), 286-303, doi:10.1016/j.pepi.2006.07.008.

Selvaggi, G., Castello, B. & Azzara, R., 1997. Spatial distribution of scalar seismic moment release in Italy (1983-1996): Seismotectonic implications for the Apennines, *Ann. Geofis.*, **40**, 1565-1578.

The Italian CMT dataset, <http://www.bo.ingv.it/RCMT/Italydataset.html>.

Ward, S.N. & Valensise, G., 1989. Fault parameters and slip distribution of the 1915, Avezzano, Italy earthquake derived from geodetic observations, *Bull. Seismol. Soc. Am.*, **79**, 690-710.

Westaway, R., 1987. The Campania, southern Italy, earthquakes of 1962 August 21, *Geophys. J. R. Astron. Soc.*, **88**, 1-24.

References of Formal Inversion data (FMF)

Boncio, P., Brozzetti, F. & La Vecchia G., 1996. State of stress in the northern Umbria-Marche Apennines (central Italy): Inferences from microearthquake and fault kinematic analyses, *Ann. Tectonicae*, **10**, 80-97.

Bressan, G., Bragato, P.L. & Venturini, C., 2003. Stress and strain tensors based on focal mechanisms in the seismotectonic framework of the Friuli- Venezia Giulia region (northeastern Italy), *Bull. Seismol. Soc. Am.*, **93**(3), 1280-1297.

Caccamo, D., Neri, G., Sarao, A. & Wyss, M., 1996. Estimates of stress directions by inversion of earthquake fault-plane solutions in Sicily, *Geophys. J. Int.*, **125**, 857-868.

Eva, E., Solarino, S., Eva, C. & Neri, G., 1997. Stress tensor orientation derived from fault plane solutions in the southwestern Alps, *J. Geophys. Res.*, **102**, 8171-8185.

Frepoli, A. & Amato, A., 2000a. Spatial variation in stresses in peninsular Italy and Sicily from background seismicity, *Tectonophysics*, **317**(1-2), 109-124.

Frepoli, A. & Amato, A., 2000b. Fault plane solutions of crustal earthquakes in southern Italy (1988-1995), seismotectonic implications, *Ann. Geofis.*, **43**, 437-467.

Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, **205**, 1525-1531, doi: 10.1093/gji/ggw100.

Montone, P., Amato, A., Chiarabba, C., Buonasorte, G. & Fiordelisi, A., 1995. Evidence of active extension in Quaternary volcanoes of central Italy from breakout analysis and seismicity, *Geophys. Res. Lett.*, **22**, 1909-1912.

Musumeci, C., Patanè, D., Scarfi, L. & Gresta, S., 2005. Stress directions and shearwave anisotropy: observations from local earthquakes in southeastern Sicily, Italy, *Bull. seism. Soc. Am.*, **95**(4), 1359-1374, doi:10.1785/0120040108.

References of Fault Slip data (GF)

- Benedetti, L., Tapponier, P., King, G.C.P. & Piccardi, L., 1998. Surface rupture of the 1857 southern Italy earthquake, *Terra Nova*, **10**, 206-210.
- Cinti, F.R., Cucci, L., Pantosti, D., 'Addezio, G. & Meghraoui, M., 1997. A major seismogenic fault in a silent area: The Castrovillari fault (southern Apennines, Italy), *Geophys. J. Int.*, **130**, 595-605.
- Cucci, L. & Valensise, G., 1995. Drainage pattern characteristics for the investigation of active faulting in Italy, *Terra Abstr.*, **7**, 38.
- D'Addezio, G., Masana, E. & Pantosti, D., 2001. The Holocene paleoseismicity of the Aremogna-Cinque Miglia Fault (central Italy), *J. Seismol.*, **5**, 181-205.
- Di Bucci, D., Corrado, S. & Naso, G., 2002. Active faults at the boundary between Central and Southern Apennines (Isernia, Italy), *Tectonophysics*, **359**, 47-63.
- Di Bucci, D., Naso, G., Corrado, S. & Villa, I.M., 2005. Growth, interaction and seismogenic potential of coupled active normal faults (Isernia Basin, Central-Southern Italy), *Terra Nova*, **17**, 44-55, doi:10.1111/j.1365-3121.2004.00582.x.
- Di Bucci, D., Vannoli, P., Burrato, P., Fracassi, U. & Valensise, G., 2011. Insights from the Mw6.3, 2009 L'Aquila earthquake (Central Apennines)- unveiling new seismogenic sources through their surface signatures: the adjacent San Pio Fault, *TerraNova*, **23**(2), 108-115, doi:10.1111/j.1365-3121.2011.00990.x.
- Fracassi, U. & Valensise, G., 2007. Unveiling the sources of the catastrophic 1456 multiple earthquake: Hints to an unexplored tectonic mechanism in Southern Italy, *Bull. Seismol. Soc. Am.*, **97**(3), 725-748, doi:10.1785/0120050250.
- Galli, P. & Bosi V., 2002. Paleoseismology along the Cittanova fault: Implications for seismotectonics and earthquake recurrence in Calabria (southern Italy), *J. Geophys. Res.*, **107**(B3), 2044, doi:10.1029/2001JB000234.
- Galli, P. & Bosi, V., 2004. Catastrophic 1638 earthquakes in Calabria (southern Italy): New insights from paleoseismological investigation, *J. Geophys. Res.*, **108**(B1), doi:10.1029/2001JB001713.
- Galli, P. & Naso, G., 2009. Unmasking the 1349 earthquake source (southern Italy). Paleoseismological and archaeoseismological indications from the Aquae Iuliae fault, *J. Struct. Geol.*, **31**, 128-149.
- Gori, S., Giaccio, B., Galadini, F., Falcucci, E., Messina, P., Sposato, A. & Dramis, F., 2011. Active normal faulting along the Mt. Morrone south-western slopes (central Apennines, Italy), *International Journal of Earth Sciences*, **100**(1), 157-171.
- Michetti, A.M., Ferreli, L., Serva, L. & Vittori, E., 1997. Geological evidence for strong historical earthquakes in an aseismic region: The Pollino case (southern Italy), *J. Geodyn.*, **24**, 67-86.
- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, **205**, 1525-1531, doi: 10.1093/gji/ggw100.

- Moro, M., Amicucci, L., Cinti, F.R., Doumaz, F., Montone, P., Pierdominici, S., Saroli, M., Stramondo, S. & Di Fiore, B., 2007. Surface evidence of active tectonics along the Pergola-Melandro fault: a critical issue for the seismogenic potential of the southern Apennines, Italy, *J. Geodyn.*, **44**(1-2), 19-32, doi:10.1016/j.jog.2006.12.003.
- Pantosti, ., 'Addezio, G. & Cinti, F.R., 1996. Paleoseismicity of the Ovindoli-Pezza fault, central Apennines, Italy: A history including a large, previously unrecorded earthquake in the Middle Ages (860-1300 A.D.), *J. Geophys. Res.*, **101**, 5937-5959.
- Villani, F. & Pierdominici, S., 2010. Late Quaternary tectonics of the Vallo di Diano basin (southern Apennines, Italy), *Quat. Sci. Rev.*, **29**(23-24), 3167-3183, doi:10.1016/j.quascirev.2010.07.003.

References of Overcoring data (OC)

- Grasso, M., Reuther, C.D., Baumann, H., Becker, A., 1986. Shallow crustal stress and neotectonic framework of the Malta Platform and the Southeastern Pantelleria Rift (Central Mediterranean). *Geologica Romana*, **25**, 191-212. [see also World Stress Map Project](#)
- Baumann, H., Reuther, C.D, In situ stress: Pantelleria Rift, (Central Mediterranean). *Terra Cognita*, **5**, 1, 84. [see also World Stress Map Project](#)