

## REFERENCES

### Agreement

Data downloaded from IPSI 1.2 must be cited as:

- Mariucci M.T., Montone P., 2018. IPSI 1.2, Database of Italian Present-day Stress Indicators, Istituto Nazionale di Geofisica e Vulcanologia (INGV), doi:<http://doi.org/10.6092/INGV.IT-IPSI.1.2>

and

- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, 205, 1525–1531, doi:[10.1093/gji/ggw100](http://doi.org/10.1093/gji/ggw100).

The use of specific subset of data should include also the related references cited in the data tables and provided below.

### References of Borehole Breakout data

- Amato A. And Montone P., 1997. Present-day stress field and active tectonics in southern peninsular Italy. *Geophysical Journal International*, **130**, 519-534.
- Amato A., Montone P. And Cesaro M., 1995. State of stress in Southern Italy from borehole breakout and focal mechanism data. *Geophysical Research Letters*, **22**, 3119-3122.
- Barba S., Carafa M.M.C., Mariucci M.T., Montone P., Pierdominici S., 2010. Present-day stress-field modelling of southern Italy constrained by stress and GPS data, *Tectonophysics*, **482**(1-4), 193–204, doi:10.1016/j.tecto.2009.10.017. (on-line Oct2009)
- Cesaro, M., 1993. Plateau Ibleo: Campo di stress da studi di breakout, analisi e modello interpretativo, *Internal Report*, Agenzia Ital. Pet. (AGIP), San Donato Milanese, Italy.
- Cox, J.W., 1983, Long axis orientation in elongated boreholes and it's correlation with rock stress data, *24th Annual Logging Symposium Transactions*: Society of Professional Well Log Analysts, 17 p.
- Cucci, L., S. Pondrelli, A. Frepoli, M. T. Mariucci, and M. Moro (2004), Local patterns of stress field and seismogenic sources in the Pergola-Melandro Basin and the Agri Valley (southern Italy), *Geophys. J. Int.*, **156**, 575–583, doi:10.1111/j.1365-246X.2004. 02161.x.
- Mariucci, M.T., Amato, A. & Montone, P., 1999. Recent tectonic evolution and present stress in the northern Apennines, *Tectonics*, **18**, 108– 118.

- Mariucci, M. T., A. Amato, R. Gambini, M. Giorgioni, and P. Montone (2002), Along-depth stress rotations and active faults: An example in a 5-km deep well of southern Italy, *Tectonics*, **21**(4), 1021, doi:10.1029/2001TC001338
- Mariucci, M.T., Montone, P. & Pierdominici, S., 2008. Active stress field in central Italy: a revision of deep well data in the Umbria region, *Ann. Geophys.*, **51**(2–3), 433–442.
- Mariucci M.T., Montone P., Pierdominici S., 2010. Present-day stress in the surroundings of 2009 L’Aquila seismic sequence (Italy), *Geophysical Journal International*, **182**(2), 1096–1102, doi:10.1111/j.1365-246X.2010.04679.x.
- Montone, P. & Mariucci, M.T., 1999. Active stress in the NE external margin of the Apennines: the Ferrara arc, northern Italy, *J. Geodyn.*, **28**(2–3), 251–265.
- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, **205**, 1525–1531, doi: 10.1093/gji/ggw100.
- Montone, P., A. Amato, R. Chiulli, and R. Funicello (1992), Metodologie per la determinazione del campo di stress attuale da dati di perforazioni profonde, paper presented at the 11th Meeting of *Gruppo Nazionale di Geofisica della Terra Solida*, Cons. Naz. delle Ric., Rome, Italy.
- Montone, P., A. Amato, C. Chiarabba, G. Buonasorte, and A. Fiordelisi (1995), Evidence of active extension in Quaternary volcanoes of central Italy from breakout analysis and seismicity, *Geophys. Res. Lett.*, **22**, 1909–1912.
- Montone, P., A. Amato, A. Frepoli, M. T. Mariucci, and M. Cesaro (1997), Crustal stress regime in Italy, *Ann. Geofis.*, **40**, 741–757.
- Montone, P., A. Amato, and S. Pondrelli (1999), Active stress map of Italy, *J. Geophys. Res.*, **104**, 25,595–25,610.
- Montone P., Mariucci M.T., Pondrelli S. and Amato A., 2004. An improved stress map for Italy and surrounding regions (central Mediterranean), *J. Geophys. Res.*, **109**, B10410, doi:10.1029/2003JB002703.
- Montone, P., Mariucci, M.T. & Pierdominici, S., 2012. The Italian present-day stress map, *Geophys. J. Int.*, **189**, 705–716, doi:10.1111/j.1365-246X.2012.05391.x.
- Pierdominici S., Mariucci M.T., Montone P. And Cesaro M., 2005. Comparison between active stress and tectonic structures in northern Italy, Lombardia region, *Annals of Geophysics*, **48**, 6, 867-881.
- Pierdominici, S., Mariucci, M.T. & Montone, P., 2011. A study to constrain the geometry of an active fault in southern Italy through borehole breakouts and downhole logs, *J. Geodyn.*, **52**(3–4), 279–289, doi:10.1016/j.jog.2011.02.006.
- Ragg, S. (1995). Das Spannungsfeld im zentralen Mittelmeerraum: Breakout-Analyse und Modellierung, *Diploma Thesis*, Geophysical Institute, University of Karlsruhe.
- Ragg, S., Grasso, M. & Müller, B., 1999. Patterns of tectonic stress in Sicily from borehole breakout observations and finite element modelling, *Tectonics*, **18**, 669–685.

## References of Earthquake Focal Mechanism data

- Anderson, H. & Jackson, J., 1987. Active tectonics of the Adriatic region, *Geophys. J. R. Astron. Soc.*, **91**, 937-987.
- Boschi, E., Guidoboni, E., Ferrari, G., Valensise, G. & Gasperini, P., 1997. Catalog of Strong Italian Earthquakes From 461 B.C. to 1990, 973 pp., Storia Geofis. Ambiente, INGV, Rome, Italy.
- European-Mediterranean RCMT Catalog, <http://www.bo.ingv.it/RCMT>.
- Gasparini, C., Iannaccone, G. & Scarpa, R., 1985. Fault-plane solutions and seismicity of the Italian peninsula, *Tectonophysics*, **117**, 59-78.
- Italian CMT dataset, <http://www.bo.ingv.it/RCMT/Italydataset.html>.
- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, **205**, 1525–1531, doi: 10.1093/gji/ggw100.
- Pondrelli, S., Salimbeni, S., Ekström, G., Morelli, A., Gasperini, P. & Vannucci, G., 2006. The Italian CMT dataset from 1977 to the present, *Phys. Earth Planet. Int.*, **159**(3-4), 286-303, doi:10.1016/j.pepi.2006.07.008.
- Quick Regional Moment Tensors, <http://autorcmt.bo.ingv.it/quicks.html>.
- Selvaggi, G., Castello, B. & Azzara, R., 1997. Spatial distribution of scalar seismic moment release in Italy (1983-1996): Seismotectonic implications for the Apennines, *Ann. Geofis.*, **40**, 1565-1578.
- TDMT-INGV, Time Domain Moment Tensor catalogue, <http://cnt.rm.ingv.it/en/tdmt>.
- Ward, S.N. & Valensise, G., 1989. Fault parameters and slip distribution of the 1915, Avezzano, Italy earthquake derived from geodetic observations, *Bull. Seismol. Soc. Am.*, **79**, 690-710.
- Westaway, R., 1987. The Campania, southern Italy, earthquakes of 1962 August 21, *Geophys. J. R. Astron. Soc.*, **88**, 1–24.

## References of Formal Inversion data

- Boncio, P., Brozzetti, F. & La Vecchia G., 1996. State of stress in the northern Umbria-Marche Apennines (central Italy): Inferences from microearthquake and fault kinematic analyses, *Ann. Tectonicae*, **10**, 80-97.
- Bressan, G., Bragato, P.L. & Venturini, C., 2003. Stress and strain tensors based on focal mechanisms in the seismotectonic framework of the Friuli- Venezia Giulia region (northeastern Italy), *Bull. Seismol. Soc. Am.*, **93**(3), 1280-1297.

- Caccamo, D., Neri, G., Sarao, A. & Wyss, M., 1996. Estimates of stress directions by inversion of earthquake fault-plane solutions in Sicily, *Geophys. J. Int.*, **125**, 857-868.
- Eva, E., Solarino, S., Eva, C. & Neri, G., 1997. Stress tensor orientation derived from fault plane solutions in the southwestern Alps, *J. Geophys. Res.*, **102**, 8171-8185.
- Frepoli, A. & Amato, A., 2000a. Spatial variation in stresses in peninsular Italy and Sicily from background seismicity, *Tectonophysics*, **317**(1-2), 109-124.
- Frepoli, A. & Amato, A., 2000b. Fault plane solutions of crustal earthquakes in southern Italy (1988-1995), seismotectonic implications, *Ann. Geofis.*, **43**, 437-467.
- Frepoli A., Cimini, G.B., De Gori, P., De Luca, G., Marchetti, A., Monna, S., Montuori, C. & Pagliuca N.M., 2016. Seismic sequences and swarms in the Latium-Abruzzo-Molise Apennines (central Italy): New observations and analysis from a dense monitoring of the recent activity. *Tectonophysics*, **712–713**, 312–329, doi:10.1016/j.tecto.2017.05.026.
- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, **205**, 1525–1531, doi: 10.1093/gji/ggw100.
- Montone, P., Amato, A., Chiarabba, C., Buonasorte, G. & Fiordelisi, A., 1995. Evidence of active extension in Quaternary volcanoes of central Italy from breakout analysis and seismicity, *Geophys. Res. Lett.*, **22**, 1909-1912.
- Musumeci, C., Patanè, D., Scarfi, L. & Gresta, S., 2005. Stress directions and shearwave anisotropy: observations from local earthquakes in southeastern Sicily, Italy, *Bull. seism. Soc. Am.*, **95**(4), 1359-1374, doi:10.1785/0120040108.

### References of Fault Slip data

- Benedetti, L., Tapponier, P., King, G.C.P. & Piccardi, L., 1998. Surface rupture of the 1857 southern Italy earthquake, *Terra Nova*, **10**, 206-210.
- Cinti, F.R., Cucci, L., Pantosti, D., 'Addezio, G. & Meghraoui, M., 1997. A major seismogenic fault in a silent area: The Castrovillari fault (southern Apennines, Italy), *Geophys. J. Int.*, **130**, 595-605.
- Civico, R., Pucci, S., Villani, F., Pizzimenti, L., De Martini, P.M., Nappi, R., & the Open EMERGEO Working Group, 2018. Surface ruptures following the 30 October 2016 Mw 6.5 Norcia earthquake, central Italy, *Journal of Maps*, under review.
- Cucci, L. & Valensise, G., 1995. Drainage pattern characteristics for the investigation of active faulting in Italy, *Terra Abstr.*, **7**, 38.
- D'Addezio, G., Masana, E. & Pantosti, D., 2001. The Holocene paleoseismicity of the Aremogna-Cinque Miglia Fault (central Italy), *J. Seismol.*, **5**, 181-205.
- Di Bucci, D., Corrado, S. & Naso, G., 2002. Active faults at the boundary between Central and Southern Apennines (Isernia, Italy), *Tectonophysics*, **359**, 47-63.

- Di Bucci, D., Naso, G., Corrado, S. & Villa, I.M., 2005. Growth, interaction and seismogenic potential of coupled active normal faults (Isernia Basin, Central-Southern Italy), *Terra Nova*, **17**, 44-55, doi:10.1111/j.1365-3121.2004.00582.x.
- Di Bucci, D., Vannoli, P., Burrato, P., Fracassi, U. & Valensise, G., 2011. Insights from the Mw6.3, 2009 L'Aquila earthquake (Central Apennines)- unveiling new seismogenic sources through their surface signatures: the adjacent San Pio Fault, *TerraNova*, **23**(2), 108-115, doi:10.1111/j.1365-3121.2011.00990.x.
- EMERGEO Working Group, 2016. Coseismic effects of the 2016 Amatrice seismic sequence: First geological results, *Ann. Geophys.*, **59**(5), doi:10.4401/ag-7195.
- Fracassi, U. & Valensise, G., 2007. Unveiling the sources of the catastrophic 1456 multiple earthquake: Hints to an unexplored tectonic mechanism in Southern Italy, *Bull. Seismol. Soc. Am.*, **97**(3), 725-748, doi:10.1785/0120050250.
- Galli, P. & Bosi V., 2002. Paleoseismology along the Cittanova fault: Implications for seismotectonics and earthquake recurrence in Calabria (southern Italy), *J. Geophys. Res.*, **107**(B3), 2044, doi:10.1029/2001JB000234.
- Galli, P. & Bosi, V., 2004. Catastrophic 1638 earthquakes in Calabria (southern Italy): New insights from paleoseismological investigation, *J. Geophys. Res.*, **108**(B1), doi:10.1029/2001JB001713.
- Galli, P. & Naso, G., 2009. Unmasking the 1349 earthquake source (southern Italy). Paleoseismological and archaeoseismological indications from the Aquae Iuliae fault, *J. Struct. Geol.*, **31**, 128-149.
- Gori, S., Giaccio, B., Galadini, F., Falcucci, E., Messina, P., Sposato, A. & Dramis, F., 2011. Active normal faulting along the Mt. Morrone south-western slopes (central Apennines, Italy), *International Journal of Earth Sciences*, **100**(1), 157-171.
- Michetti, A.M., Ferreli, L., Serva, L. & Vittori, E., 1997. Geological evidence for strong historical earthquakes in an aseismic region: The Pollino case (southern Italy), *J. Geodyn.*, **24**, 67-86.
- Montone P., Mariucci M.T., 2016. The new release of the Italian contemporary stress map, *Geophysical Journal International*, **205**, 1525–1531, doi: 10.1093/gji/ggw100.
- Moro, M., Amicucci, L., Cinti, F.R., Doumaz, F., Montone, P., Pierdominici, S., Saroli, M., Stramondo, S. & Di Fiore, B., 2007. Surface evidence of active tectonics along the Pergola-Melandro fault: a critical issue for the seismogenic potential of the southern Apennines, Italy, *J. Geodyn.*, **44**(1-2), 19-32, doi:10.1016/j.jog.2006.12.003.
- Pantosti, ., 'Addezio, G. & Cinti, F.R., 1996. Paleoseismicity of the Ovindoli-Pezza fault, central Apennines, Italy: A history including a large, previously unrecorded earthquake in the Middle Ages (860-1300 A.D.), *J. Geophys. Res.*, **101**, 5937-5959.
- Villani, F. & Pierdominici, S., 2010. Late Quaternary tectonics of the Vallo di Diano basin (southern Apennines, Italy), *Quat. Sci. Rev.*, **29**(23-24), 3167-3183, doi:10.1016/j.quascirev.2010.07.003.

### **References of Overcoring data**

Grasso, M., Reuther, C.D., Baumann, H., Becker, A., 1986. Shallow crustal stress and neotectonic framework of the Malta Platform and the Southeastern Pantelleria Rift (Central Mediterranean). *Geologica Romana*, **25**, 191-212. [see also World Stress Map Project](#)

Baumann, H., Reuther, C.D, In situ stress: Pantelleria Rift, (Central Mediterranean). *Terra Cognita*, **5**, 1, 84. [see also World Stress Map Project](#)